

**RECEIVED
CENTRAL FAX CENTER****FEB 15 2008****IN THE CLAIMS**

Please AMEND THE CLAIMS as Follows:

1. (original) A method of classifying a message, including:
 - determining the domain from which the message is purported to be sent;
 - determining an IP address from which the message was relayed at some point in its transmission;
 - associating the domain with the IP address; and
 - classifying the message based on the associated domain and IP address.
2. (original) The method of claim 1, further including overriding a white list based on the classification.
3. (original) The method of claim 1, wherein classifying includes determining that the IP address is not commonly associated with the domain.
4. (original) The method of claim 1, wherein classifying includes checking classifications of other messages associated with the same domain and different IP addresses.
5. (original) The method of claim 1, wherein a plurality of IP addresses is associated with the domain.
6. (original) The method of claim 1, wherein the IP address is associated with a plurality of domains.
7. (original) The method of claim 1, wherein the IP address is a boundary IP address.

8. (original) The method of claim 1, wherein the IP address is preconfigured.
9. (original) The method of claim 1, wherein the IP address is preconfigured to be one hop from a gateway IP address.
10. (original) The method of claim 1, wherein the IP address is learned.
11. (original) The method of claim 1, wherein the IP address is adaptively determined.
12. (cancelled).
13. (original) The method of claim 1, wherein the IP address is a boundary IP address determined according to claim 9.
14. (original) The method of claim 1, wherein the domain is the stated sender domain.
15. (original) The method of claim 1, wherein the domain is the boundary domain.
16. (original) The method of claim 1, wherein classifying includes consulting a white list.
17. (original) The method of claim 1, wherein classifying includes classifying the message based on previous classifications made to the IP address and domain pair.
18. (original) The method of claim 1, wherein classifying includes forming a score based on previous classifications made to the IP address and domain pair.
19. (original) The method of claim 1, wherein classifying includes determining a spam ratio.

20. (original) The method of claim 1, wherein classifying includes determining a spam rate.

21. (original) The method of claim 1, wherein classifying includes determining an estimated instantaneous spam rate.

22. (original) The method of claim 1, wherein classifying includes decaying a classification variable with time.

23. (original) The method of claim 1, wherein classifying includes giving a classification greater weight relative to another classification.

24. (original) The method of claim 1, wherein classifying includes giving a user classification greater weight relative to a computer classification.

25. (original) The method of claim 1, wherein classifying includes giving an indeterminate classification a fraction of the weight of a good classification.

26. (original) The method of claim 1, wherein classifying includes consulting a table indexed by IP address and domain.

27. (original) The method of claim 1, wherein classifying includes consulting a table indexed by IP address and domain wherein each cell includes information about previous classifications.

28. (original) The method of claim 1, further including providing the IP address and domain classification as input to another classifier.

29. (original) The method of claim 1, further including providing the IP address and domain classification as input to a Bayesian classifier.

30. (original) The method of claim 1, wherein classifying includes classifying the message based on the IP address.

31. (original) The method of claim 1, wherein classifying includes classifying the message based on the domain.

32. (original) The method of claim 1, wherein classifying includes classifying the message based on the domain and determining that the message was forged.

33. (original) The method of claim 1, wherein classifying includes determining a score for the IP address.

34. (original) The method of claim 1, wherein classifying includes determining a score for the domain.

35. (currently amended) A computer -readable storage medium having embodied thereon a program, the program being executable by a processor to perform a method ~~program product~~ for classifying a message, ~~the computer program product being embodied in a computer readable medium and comprising computer instructions for~~ comprising:

determining the domain from which the message is purported to be sent;
determining an IP address from which the message was relayed at some point in its transmission;
associating the domain with the IP address; and
classifying the message based on the associated domain and IP address.

36. (original) A system for classifying a message, including a classifier configured to:
- determine the domain from which the message is purported to be sent;
 - determine an IP address from which the message was relayed at some point in its transmission;
 - associate the domain with the IP address; and
 - classify the message based on the associated domain and IP address.